

INDEX


INDEX	01
Down Light Series	02-07
T8 Fluorescent Fixture Series	08-10
Grille Fluorescent Fixture Series	11-17
Multiple Downlight Series	18-21
Metal Halide Lamp Series	22-25

Down Light Series


2/2.5/3 Inch




■ **TD212S-Y-WH**
 TD212S/YWH
 Voltage/Frequency: 220V/50Hz
 Light Source: CFL-3W/2USW
 Color: Ivory white
 Cutout(mm): $\varnothing 72$
 Specification(mm): 100*81.5
 Carton Size(mm): 459*210*232
 Package(pcs): 20




■ **TD212S-Y-SC**
 TD212S/YWH
 Voltage/Frequency: 220V/50Hz
 Light Source: CFL-3W/2USW
 Color: Sandy Nickel
 Cutout(mm): $\varnothing 70$
 Specification(mm): 100*81.5
 Carton Size(mm): 495*210*232
 Package(pcs): 20




■ **TD212AS-Y-WH**
 TD212AS/YWH
 Voltage/Frequency: 220V/50Hz
 Light Source: CFL-5W/2U.S
 Color: Ivory white
 Cutout(mm): $\varnothing 85$
 Specification(mm): 108*90
 Carton Size(mm): 545*230*254
 Package(pcs): 20




■ **TD212AS-Y-SC**
 TD212AS/YWH
 Voltage/Frequency: 220V/50Hz
 Light Source: CFL-5W/2U.S
 Color: Sandy Nickel
 Cutout(mm): $\varnothing 85$
 Specification(mm): 108*90
 Carton Size(mm): 545*230*254
 Package(pcs): 20



■ **TD213S-Y-WH**
 TD213S/YWH
 Voltage/Frequency: 220V/50Hz
 Light Source: CFL-7W/2U.S
 Color: Ivory white
 Cutout(mm): $\varnothing 98$
 Specification(mm): 115*112
 Carton Size(mm): 610*256*278
 Package(pcs): 20



■ **TD213S-Y-SC**
 TD213S/YWH
 Voltage/Frequency: 220V/50Hz
 Light Source: CFL-7W/2U.S
 Color: Sandy Nickel
 Cutout(mm): $\varnothing 98$
 Specification(mm): 115*112
 Carton Size(mm): 610*256*278
 Package(pcs): 20



- Mini Size
- High purity aluminum reflector which can make full use of light
- Jet-paint and electroplate process enables excellent antirust performance of the frame
- Application: hotel, office, shop, home ,etc




Down Light Series


2.5/3/4 Inch




■ **TD212AS-Y-WH-Mini**
 Voltage/Frequency: 220V/50Hz
 Light Source: YDN7-2S
 Power(w): 7W
 Color: Ivory white
 Cutout(mm): \varnothing 85
 Specification(mm): 146*74
 Carton Size(mm): 450*263*325
 Package(pcs): 20




■ **TD212AS-Y-SC-Mini**
 Voltage/Frequency: 220V/50Hz
 Light Source: YDN7-2S
 Power(w): 7W
 Color: Sandy Nickel
 Cutout(mm): \varnothing 85
 Specification(mm): 146*74
 Carton Size(mm): 450*263*325
 Package(pcs): 20




■ **TD213S-Y-WH-Mini**
 Voltage/Frequency: 220V/50Hz
 Light Source: YDN7-2S
 Power(w): 7W
 Color: Ivory white
 Cutout(mm): \varnothing 98
 Specification(mm): 153*74
 Carton Size(mm): 450*255*348
 Package(pcs): 20




■ **TD213S-Y-SC-Mini**
 Voltage/Frequency: 220V/50Hz
 Light Source: YDN7-2S
 Power(w): 7W
 Color: Sandy Nickel
 Cutout(mm): \varnothing 98
 Specification(mm): 153*74
 Carton Size(mm): 450*255*348
 Package(pcs): 20



■ **TD214S-Y-WH-Mini**
 Voltage/Frequency: 220V/50Hz
 Light Source: YDN13-2S
 Power(w): 13W
 Color: Ivory white
 Cutout(mm): \varnothing 122
 Specification(mm): 188*84
 Carton Size(mm): 500*340*415
 Package(pcs): 20



■ **TD214S-Y-SC-Mini**
 Voltage/Frequency: 220V/50Hz
 Light Source: YDN13-2S
 Power(w): 13W
 Color: Sandy Nickel
 Cutout(mm): \varnothing 122
 Specification(mm): 188*84
 Carton Size(mm): 500*340*415
 Package(pcs): 20



- Mini Size
- Equipped with OPPLÉ patent YDN lamp
- Moisture proof glass cover available for all modes*
- High purity aluminum reflector which can make full use of light
- Jet-paint and electroplate process enables excellent antirust performance of the frame
- Application: hotel, office, shop, home ,etc



■ Lamp



■ **YDN7-2S**
 Package(pcs): 100
 Power(w): 7
 Power factor(f): 0.55/0.54
 Luminous Flux(LM): 320/350
 Luminous Efficacy(LMW): 46
 Color Temperature(K): 2700/6500



■ **YDN13-2S**
 Package(pcs): 100
 Power(w): 13
 Power factor(f): 0.55/0.54
 Luminous Flux(LM): 320/350
 Luminous Efficacy(LMW): 46
 Color Temperature(K): 2700/6500

Down Light Series

4/5/6 Inch



■ **MTD1340**

Light Source: E27 220V 1*60Wmax
Color: WH
Cutout(mm): $\varnothing 125$
Specification(mm): A=143 B=105 Hmax=84
Inner Case(mm): 150*100*250
Carton Size(mm): 635*320*275
Package(pcs): 12

■ **MTD1360**

Light Source: E27 220V 1*60Wmax
Color: WH
Cutout(mm): $\varnothing 175$
Specification(mm): A=190 B=150 Hmax=98
Inner Case(mm): 200*100*300
Carton Size(mm): 625*420*320
Package(pcs): 12

■ **MTD1350**


Light Source: E27 220V 1*60Wmax
Color: WH
Cutout(mm): $\varnothing 160$
Specification(mm): A=180 B=134 Hmax=93
Inner Case(mm): 200*100*300
Carton Size(mm): 625*420*320
Package(pcs): 12

■ **MTD1362**

Light Source: E27 220V 2*60Wmax
Color: WH
Cutout(mm): $\varnothing 175$
Specification(mm): A=190 B=150 Hmax=98
Inner Case(mm): 200*100*300
Carton Size(mm): 625*420*320
Package(pcs): 12

■ **MTD1352**

Light Source: E27 220V 2*60Wmax
Color: WH
Cutout(mm): $\varnothing 160$
Specification(mm): A=180 B=134 Hmax=93
Inner Case(mm): 200*100*300
Carton Size(mm): 625*420*320
Package(pcs): 12



■ **MTD1440**

Light Source: E27 220V 1*60Wmax
Color: WH
Cutout(mm): $\varnothing 125$
Specification(mm): A=143 B=105 Hmax=104
Inner Case(mm): 150*110*250
Carton Size(mm): 695*320*275
Package(pcs): 12

■ **MTD1460**

Light Source: E27 220V 1*60Wmax
Color: WH
Cutout(mm): $\varnothing 175$
Specification(mm): A=190 B=150 Hmax=110
Inner Case(mm): 200*115*310
Carton Size(mm): 715*420*330
Package(pcs): 12

■ **MTD1450**




Light Source: E27 220V 1*60Wmax
Color: WH
Cutout(mm): $\varnothing 160$
Specification(mm): A=180 B=134 Hmax=108
Inner Case(mm): 200*115*300
Carton Size(mm): 715*420*320
Package(pcs): 12

■ **MTD1462**

Light Source: E27 220V 2*60Wmax
Color: WH
Cutout(mm): $\varnothing 175$
Specification(mm): A=190 B=150 Hmax=110
Inner Case(mm): 200*115*310
Carton Size(mm): 715*420*330
Package(pcs): 12

■ **MTD1452**

Light Source: E27 220V 2*60Wmax
Color: WH
Cutout(mm): $\varnothing 160$
Specification(mm): A=180 B=134 Hmax=108
Inner Case(mm): 200*115*300
Carton Size(mm): 715*420*320
Package(pcs): 12



T8 Fluorescent Fixture Series


T8 Vapor Tight Fixtures



- Fiberglass reinforced polyester housing prevents rust and corrosion
- Poured neoprene gasket bonded to housing provides protection against dust, dirt, moisture and other foreign elements.
- Prismatic PC diffuser with high transmissivity creates best lamination effect.
- IP65

Model	Voltage (v)	Power (w)	Frequency (Hz)	Lamp	Specification (L*W*H mm)	Packing Size (mm)	Qty/Ctn (pcs)
MZL61118	220-240	18	50/60	T8-18	675*100*100	690*290*240	8
MZL61136	220-240	36	50/60	T8-36	1280*100*100	1290*290*240	8
MXL61218	220-240	36	50/60	T8-2*18	670*160*100	690*290*350	8
MXL61236	220-240	72	50/60	T8-2*36	1280*160*100	1290*290*350	8

Light Distribution Curve



T8 Fluorescent Fixtures




- Die casting cold-rolled steel, available in 0.6mm steel thickness.
- Six-stages phosphate pretreatment coating to ensure superior paint adhesion and rust resistance.
- A range of single and twin battens are available.
- High capacity ballast (electronic & magnetic available) leads to quiet and flicker free operational environment.



Model	Voltage (v)	Power (w)	Frequency (Hz)	Lamp	Specification (L*W*H mm)	Packing Size (mm)	Qty/Ctn (pcs)
MZL11118	220-240	18	50/60	T8 1x18W	622x52x39	640x225x98	8
MZL11218	220-240	36	50/60	T8 2x18W	622x100x39	640x225x98	8
MZL11130	220-240	30	50/60	T8 1x30W	928x52x39	950x225x98	8
MZL11230	220-240	60	50/60	T8 2x30W	928x100x39	950x225x98	8
MZL11136	220-240	36	50/60	T8 1x36W	1230x52x39	1240x225x98	8
MZL11236	220-240	72	50/60	T8 2x36W	1230x100x39	640x225x98	8

T8 Fluorescent Fixtures With Reflector

- Die casting cold-rolled steel, available in 0.6mm steel thickness.
- Six-stages phosphate pretreatment coating to ensure superior paint adhesion and rust resistance.
- A range of single and twin battens are available.
- High capacity ballast (electronic & magnetic available) leads to quiet and flicker free operational environment.



- High purity aluminum reflector which can make full use of light
- Precise reflector design enables optimal optical effect, providing a pleasant and glare free environment
- Equipped with OPPLE high capability ballast, flicker and noise free, electronic and magnetic series available
- Application: hotel, office, shop, home ,etc


Model	Voltage (v)	Power (w)	Frequency (Hz)	Lamp	Specification (L*W*H mm)	Packing Size (mm)	Qty/Ctn (pcs)
MZL11118T	220-240	18	50/60	T8 1x18W	620x50x38	648x165x100	5
MZL11218T	220-240	36	50/60	T8 2x18W	620x100x38	648x165x100	5
MZL11130T	220-240	30	50/60	T8 1x30W	926x50x38	948x165x100	5
MZL11230T	220-240	60	50/60	T8 2x30W	926x100x38	948x165x100	5
MZL11136T	220-240	36	50/60	T8 1x36W	1230x50x38	1248x165x100	5
MZL11236T	220-240	72	50/60	T8 2x36W	1230x100x38	1248x165x100	5

T8 Series



220V
110V T8-3*18W Embed

MODEL	REFLECTOR	REFLECTOR STRUCTURE	CUTOUT	SPECIFICATION	PACKAGE	CARTON SIZE
MDP11318I-Y	Frosted Finish	I	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP11318V-Y	Frosted Finish	V	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP11318I-J	Mirror Finish	I	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP11318V-J	Mirror Finish	V	585*585mm	598*598*76mm	2pcs	630*170*655mm




T8 Series



220V
110V T8-4*18W Embed

MODEL	REFLECTOR	REFLECTOR STRUCTURE	CUTOUT	SPECIFICATION	PACKAGE	CARTON SIZE
MDP11418I-Y	Frosted Finish	I	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP11418V-Y	Frosted Finish	V	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP11418I-J	Mirror Finish	I	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP11418V-J	Mirror Finish	V	585*585mm	598*598*76mm	2pcs	630*170*655mm




MODEL	REFLECTOR	REFLECTOR STRUCTURE	CUTOUT	SPECIFICATION	PACKAGE	CARTON SIZE
-------	-----------	---------------------	--------	---------------	---------	-------------



MDP21318I-Y	Frosted Finish	I	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP21318V-Y	Frosted Finish	V	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP21318I-J	Mirror Finish	I	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP21318V-J	Mirror Finish	V	585*585mm	598*598*76mm	2pcs	630*170*655mm



220V
110V T8-3*18W Embed





MODEL	REFLECTOR	REFLECTOR STRUCTURE	CUTOUT	SPECIFICATION	PACKAGE	CARTON SIZE
MDP21418I-Y	Frosted Finish	I	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP21418V-Y	Frosted Finish	V	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP21418I-J	Mirror Finish	I	585*585mm	598*598*76mm	2pcs	630*170*655mm
MDP21418V-J	Mirror Finish	V	585*585mm	598*598*76mm	2pcs	630*170*655mm



220V T8-4*18W Embed

MODEL	REFLECTOR	REFLECTOR STRUCTURE	SPECIFICATION	PACKAGE	CARTON SIZE
MDP61418I-Y	Frosted Finish	I	610*598*76mm	2pcs	630*1708*655mm
MDP61418V-Y	Frosted Finish	V	610*598*76mm	2pcs	630*1708*655mm
MDP61418I-J	Mirror Finish	I	610*598*76mm	2pcs	630*1708*655mm
MDP61418V-J	Mirror Finish	V	610*598*76mm	2pcs	630*1708*655mm

220V 110V T8-4*18W Ceiling

MODEL	REFLECTOR	REFLECTOR STRUCTURE	CUTOUT	SPECIFICATION	PACKAGE	CARTON SIZE
MDP21336I-Y	Frosted Finish	I	1185*585mm	1198*598*76mm	2pcs	630*170*655mm
MDP21336V-Y	Frosted Finish	V	1185*585mm	1198*598*76mm	2pcs	630*170*655mm
MDP21336I-J	Mirror Finish	I	1185*585mm	1198*598*76mm	2pcs	630*170*655mm
MDP21336V-J	Mirror Finish	V	1185*585mm	1198*598*76mm	2pcs	630*170*655mm





220V T8-3*36W Embed



Grille Fluorescent Fixture Series

T5 Series



220V T5-3*14W Embed


MODEL	REFLECTOR	REFLECTOR STRUCTURE	CUTOUT	SPECIFICATION	PACKAGE	CARTON SIZE
MDP24314I-Y-D	Frosted Finish	I	585*585mm	598*598*55mm	2pcs	630*140*640mm
MDP24314V-Y-D	Frosted Finish	V	585*585mm	598*598*55mm	2pcs	630*140*640mm
MDP24314I-J-D	Mirror Finish	I	585*585mm	598*598*55mm	2pcs	630*140*640mm
MDP24314V-J-D	Mirror Finish	V	585*585mm	598*598*55mm	2pcs	630*140*640mm



MODEL	REFLECTOR	REFLECTOR STRUCTURE	CUTOUT	SPECIFICATION	PACKAGE	CARTON SIZE
MDP24328I-Y-D	Frosted Finish	I	1185*585mm	1198*598*55mm	2pcs	1230*140*640mm
MDP24328V-Y-D	Frosted Finish	V	1185*585mm	1198*598*55mm	2pcs	1230*140*640mm
MDP24328I-J-D	Mirror Finish	I	1185*585mm	1198*598*55mm	2pcs	1230*140*640mm
MDP24328V-J-D	Mirror Finish	V	1185*585mm	1198*598*55mm	2pcs	1230*140*640mm



220V T5-3*28W Embed




Multiple Downlight Series




• MGL1124

Material: Aluminum and Cold Rolling Steel
 Light Source: 12V AR111 MAX: 50W
 Color: WH/SP
 Specification(mm): L=355 W=190 H=128
 Cutout(mm): 325*161
 Inner case(mm): 395*230*155
 Carton size(mm): 485*410*350
 Package(pcs): 4



• MGL1134

Material: Aluminum and Cold Rolling Steel
 Light Source: 12V AR111 MAX: 50W
 Color: WH/SP
 Specification(mm): L=502 W=190 H=128
 Cutout(mm): 473*161
 Inner case(mm): 542*230*155
 Carton size(mm): 560*485*350
 Package(pcs): 4




Multiple Downlight Series



• MGL1434

Material: Aluminum Alloy and Zinc Alloy
 Light Source: 12V AR111 MAX: 50W
 Color: SP
 Specification(mm): L=765 W=188 H=650
 Inner case(mm): 800*230*75
 Carton size(mm): 915*245*185
 Package(pcs): 2



Multiple Downlight Series



■ MGL113454

Material: Aluminum and Steel
 Light Source(Assembled): 2*AR111 and G12
 Color: WH/SP
 Cutout(mm): 473*161
 Specification(mm): L=501 W=190 H=196
 Inner case(mm): 545*230*225
 Carton size(mm): 560*245*480
 Package(pcs): 2

■ MGL113484

Material: Aluminum and Steel
 Light Source(Assembled): 2*AR111 and PAR30
 Color: WH/SP
 Cutout(mm): 473*161
 Specification(mm): L=501 W=190 H=196
 Inner case(mm): 545*230*225
 Carton size(mm): 560*245*480
 Package(pcs): 2

■ MGL113474



Material: Aluminum and Steel
 Light Source(Assembled): 2*AR111 and CDM-R/PAR30
 Color: WH/SP
 Cutout(mm): 473*161
 Specification(mm): L=501 W=190 H=196
 Inner case(mm): 545*230*225
 Carton size(mm): 560*245*480
 Package(pcs): 2

■ MGL113545

Material: Aluminum and Steel
 Light Source(Assembled): AR111 and 2*G12
 Color: WH/SP
 Cutout(mm): 473*161
 Specification(mm): L=501 W=190 H=196
 Inner case(mm): 545*230*225
 Carton size(mm): 560*245*480
 Package(pcs): 2

■ 113646

Material: Aluminum and Steel
 Light Source(Assembled): AR111 and 2* PAR30
 Color: WH/SP
 Cutout(mm): 473*161
 Specification(mm): L=501 W=190 H=196
 Inner case(mm): 545*230*225
 Carton size(mm): 560*245*480




■ MGL113555

Material: Aluminum and Steel
 Light Source: G12
 Color: WH/SP
 Cutout(mm): 473*161
 Specification(mm): L=501 W=190 H=196
 Inner case(mm): 545*230*225
 Carton size(mm): 560*245*480
 Package(pcs): 2

■ MGL113777

Material: Aluminum and Steel
 Light Source: CDM-R/PAR30
 Color: WH/SP
 Cutout(mm): 473*161
 Specification(mm): L=501 W=190 H=196
 Inner case(mm): 545*230*225
 Carton size(mm): 560*245*480
 Package(pcs): 2



■ MGL11355
 ■ MGL11377




Metal Halide Lamp Series

- Zinc alloy body with Jet-paint and electroplate process enables excellent antirust performance
- High purity aluminum reflector which can make full use of light
- Equipped with OPPLE high capability ballast, flicker and noise free




■ MJL31201/70
■ MJL31201/150
 Light Source: Rx7S 70W
 Rx7S 150W
 Cutout(mm): \varnothing 230
 Material: Zinc Alloy
 Color: WH/BK
 Specification(mm): A= \varnothing 230 B=223
 C= \varnothing 190 D= \varnothing 244
 Inner case(mm): 255*255*225
 Carton size(mm): 530*530*245
 Package(pcs): 4


■ MJL31101/70
■ MJL31101/150
 Light Source: G12 70W
 G12 150W
 Cutout(mm): \varnothing 175
 Material: Zinc Alloy
 Color: WH/BK
 Specification(mm): A= \varnothing 175 B=170
 C= \varnothing 145 D= \varnothing 244
 Inner case(mm): 195*195*185
 Carton size(mm): 410*410*205
 Package(pcs): 4



■ MJL31202/70
■ MJL31202/150
 Light Source: Rx7S 70W
 Rx7S 150W
 Cutout(mm): 25*130
 Material: Zinc Alloy
 Color: WH/BK
 Specification(mm): A= 106 B=123
 C= 143 D=230
 Inner case(mm): 153*145*245
 Carton size(mm): 600*330*285
 Package(pcs): 8




■ MJL31204/70
 Light Source: Rx7S 70W
 Cutout(mm): \varnothing 150
 Material: Zinc Alloy
 Color: WH/BK
 Specification(mm): A= \varnothing 150 B=100 C= \varnothing 116 D= \varnothing 159
 Inner case(mm): 170*170*115
 Carton size(mm): 540*300*255
 Package(pcs): 12




■ MJL11208/70
■ MJL11208/150
 Light Source: Rx7S 70W
 Rx7S 150W
 Cutout(mm): \varnothing 250
 Material: Zinc Alloy
 Color: WH
 Specification(mm): A= \varnothing 265 B= \varnothing 210
 C= \varnothing 250 D=147
 Inner case(mm): 270*270*150
 Carton size(mm): 560*560*475
 Package(pcs): 12

■ MJL11206/70
 Light Source: Rx7S 70W
 Cutout(mm): \varnothing 173
 Material: Zinc Alloy
 Color: WH
 Specification(mm): A= \varnothing 188 B= \varnothing 148
 C= \varnothing 173 D=130
 Inner case(mm): 270*270*150
 Carton size(mm): 560*560*475
 Package(pcs): 12




■ MJL31208/150
 Light Source: Rx7S 150W
 Cutout(mm): \varnothing 212
 Material: Zinc Alloy
 Color: WH/BK
 Specification(mm): A= \varnothing 212 B=108 C= \varnothing 182 D= \varnothing 227
 Inner case(mm): 240*240*130
 Carton size(mm): 750*500*285
 Package(pcs): 12



Metal Halide Lamp Series



■ MJL32101/70
 Light Source: G12 70W
 Material: Aluminum Alloy
 Color: WH/BK
 Specification(mm): A=500 B=68
 C=183 D=∅118 E=210
 Inner case(mm): 305*305*165
 Carton size(mm): 630*320*355
 Package(pcs): 4



■ MJL32102/70
 Light Source: G12 70W
 Material: Aluminum Alloy
 Color: WH/BK
 Specification(mm): A=500 B=68 C=183
 D=175 E=185 F=∅123
 Inner case(mm): 305*305*165
 Carton size(mm): 630*320*355
 Package(pcs): 4

